



UNITED STATES PATENT AND TRADEMARK OFFICE

ET

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|---------------------|------------------|
|-----------------|-------------|----------------------|---------------------|------------------|

10/780,204

02/17/2004

Vadim Shapiro

P06701US0

9917

34082

7590

07/25/2006

ZARLEY LAW FIRM P.L.C.
CAPITAL SQUARE
400 LOCUST, SUITE 200
DES MOINES, IA 50309-2350

EXAMINER

NORTON, JENNIFER L

ART UNIT

PAPER NUMBER

2121

DATE MAILED: 07/25/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/780,204

Applicant(s)

SHAPIRO ET AL.

Examiner

Jennifer L. Norton

Art Unit

2121

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 17 February 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-16 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-16 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 17 February 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 5/21/04

- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

1. Claims 1-16 are pending.

Claim Rejections - 35 USC § 112

2. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

3. Claim 1 and 9 recites the limitation "the lag" in lines 2 and 11, and 2 and 8 respectively. There is insufficient antecedent basis for this limitation in the claim.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 1-5, 7-10, 12-13 and 15-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,901,300 (hereinafter Blevins) in view of U.S. Patent No. 4,823,299 (hereinafter Chang).

6. As per claim 1, Blevins teaches to a method for controlling a controlled operation by determining the lag in measured data from at least one variable signal, comprising:

processing the measured data using time-series analysis with a filter to produce filtered data with reduced noise content (col. 4, lines 29-34, col. 10, lines 13-16 and Fig. 3, element 60);

arranging the filtered data in matrices with one column for each variable signal (col. 9, lines 55-58 and Fig. 3, element 53);

processing data with a variable signal estimator to output a variable signal function for each variable signal that defines each variable signal in terms of its mathematical dependencies on all of the variable signals (col. 10, lines 6-9 and 43-48);

processing each variable signal function with a criterial function to provide an optimal lag value for each variable signal (col. 9, lines 66-67, col. 10, lines 1-3, col. 12, lines 65-67 and col. 13, lines 1-10);

processing data with a lag estimator to output a lag function for each lag, each lag function defining each lag in terms of its mathematical dependency on all of the variable signals (col. 13, lines 30-38);

determining the goodness of fit of each lag function based on the most recent filtered data (col. 16, lines 56-67);

storing at least one lag function based on its goodness of fit (col. 17, lines 16-17); and

discarding at least one lag function based on its goodness of fit (col. 17, lines 4-16).

Blevins does not expressly teach to shifting the columns of the matrices to produce a plurality of different shifted matrices, each shifted matrix having a given value for the lag in data for each variable signal and processing each shifted matrix with a point calculation algorithm to produce a point for each column in each shifted matrix

Chang teaches to shifting the columns of the matrices to produce a plurality of different shifted matrices, each shifted matrix having a given value for the data for each variable signal (col. 6, lines 16-19) and processing each shifted matrix with a point calculation algorithm to produce a point for each column in each shifted matrix (col. 4, lines 56-58 and Equation 7).

Therefore it would have been obvious to a person of ordinary skill in the art at the time of the applicant's invention to modify the teaching of Blevins to include shifting the columns of the matrices to produce a plurality of different shifted matrices, each shifted matrix having a given value for the data for each variable signal and processing each shifted matrix with a point calculation algorithm to produce a point for each column in each shifted matrix to produce real time solutions to input signals (col. 2, lines 26-30).

7. As per claim 2, Blevins as set forth above teaches the filter is a 1-D filter (col. 10, lines 17-19).

8. As per claim 3, Blevins as set forth above teaches the filter is a time series approximator (col. 10, lines 17-19).
9. As per claim 4, Blevins as set forth above teaches the filter is an n-D filter (col. 10, lines 17-19).
10. As per claim 5, Blevins as set forth above teaches the variable signal estimator is a neural network (col. 6, lines 44-49).
11. As per claim 7, Blevins does not expressly teach the point calculation algorithm averages the values of each column in a given matrix to produce a point for each column in each shifted matrix.

Cheng teaches to the point calculation algorithm averages the values of each column in a given matrix to produce a point for each column in each shifted matrix (col. 4, lines 56-58 and Equation 7).

Therefore it would have been obvious to a person of ordinary skill in the art at the time of the applicant's invention to modify the teaching of Blevins to include a point calculation algorithm which averages the values of each column in a given matrix to

produce a point for each column in each shifted matrix to produce real time solutions to input signals (col. 2, lines 26-30).

12. As per claim 8, Blevins as set forth above teaches the lag estimator is a neural network (col. 6, lines 44-49).

13. As per claim 9, Blevins teaches a method for controlling a controlled operation by determining the lag in measured data from at least one variable signal, comprising:

- arranging the data in matrices with one column for each variable signal (col. 9, lines 55-58 and Fig. 3, element 53);

- processing data with a variable signal estimator to output a variable signal function for each variable signal that defines each variable signal in terms of its mathematical dependencies on all of the variable signals (col. 10, lines 6-9 and 43-48);
- and

- processing each variable signal function with a criterial function to provide an optimal lag value for each variable signal (col. 9, lines 66-67, col. 10, lines 1-3, col. 12, lines 65-67 and col. 13, lines 1-10).

Blevins does not expressly teach shifting the columns of the matrices to produce a plurality of different shifted matrices, each shifted matrix having a given value for the lag in data for each variable signal.

Chang teaches to shifting the columns of the matrices to produce a plurality of different shifted matrices, each shifted matrix having a given value for the lag in data for each variable signal (col. 6, lines 16-19).

Therefore it would have been obvious to a person of ordinary skill in the art at the time of the applicant's invention to modify the teaching of Blevins to include shifting the columns of the matrices to produce a plurality of different shifted matrices, each shifted matrix having a given value for the lag in data for each variable signal to produce real time solutions to input signals (col. 2, lines 26-30).

14. As per claim 10, Blevins as set forth above teaches the variable signal estimator is a neural network (col. 6, lines 44-49).

15. As per claim 12, Blevins teaches a method for controlling a controlled operation by determining the lag in measured data from at least one variable signal, comprising:
arranging the data in matrices with one column for each variable signal (col. 9, lines 55-58 and Fig. 3, element 53);

processing data with a variable signal estimator to output a variable signal function for each variable signal that defines each variable signal in terms of its mathematical dependencies on all of the variable signals (col. 10, lines 6-9 and 43-48);

processing each variable signal function with a criterial function to provide an optimal lag value for each variable signal (col. 9, lines 66-67, col. 10, lines 1-3, col. 12, lines 65-67 and col. 13, lines 1-10);

processing data with a lag estimator to output a lag function for each lag, each lag function defining each lag in terms of its mathematical dependency on all of the variable signals (col. 13, lines 30-38).

Blevins does not expressly teach shifting the columns of the matrices to produce a plurality of different shifted matrices, each shifted matrix having a given value for the lag in data for each variable signal; and processing each shifted matrix with a point calculation algorithm to produce a point for each column in each shifted matrix.

Chang teaches to shifting the columns of the matrices to produce a plurality of different shifted matrices, each shifted matrix having a given value for the lag in data for each variable signal (col. 6, lines 16-19); and processing each shifted matrix with a point calculation algorithm to produce a point for each column in each shifted matrix (col. 4, lines 56-58 and Equation 7).

Therefore it would have been obvious to a person of ordinary skill in the art at the time of the applicant's invention to modify the teaching of Blevins to include shifting the columns of the matrices to produce a plurality of different shifted matrices, each

shifted matrix having a given value for the lag in data for each variable signal; and processing each shifted matrix with a point calculation algorithm to produce a point for each column in each shifted matrix to produce a point for each column in each shifted matrix to produce real time solutions to input signals (col. 2, lines 26-30).

16. As per claim 13, Blevins as set forth above teaches the variable signal estimator is a neural network (col. 6, lines 44-49).

17. As per claim 15, Blevins does not expressly teach the point calculation algorithm averages the values of each column in a given matrix to produce a point for each column in each shifted matrix.

Cheng teaches the point calculation algorithm averages the values of each column in a given matrix to produce a point for each column in each shifted matrix (col. 4, lines 56-58 and Equation 7).

Therefore it would have been obvious to a person of ordinary skill in the art at the time of the applicant's invention to modify the teaching of Blevins to include the point calculation algorithm averages the values of each column in a given matrix to produce a point for each column in each shifted matrix to produce a point for each

Art Unit: 2121

column in each shifted matrix to produce real time solutions to input signals (col. 2, lines 26-30).

18. As per claim 16, Blevins as set forth above teaches to the lag estimator is a neural network (col. 6, lines 44-49).

19. Claim 6, 11 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Blevins in view of Chang in further view of U.S. Patent 4,349,869 (hereinafter Prett).

20. As per claim 6, Blevins and Chang do not expressly teach the criterial function utilizes optimization methods to provide an optimal lag value for each variable signal.

Prett teaches to a criterial function utilizes optimization methods to provide an optimal value for each variable signal (col. 8, lines 2-7).

Therefore it would have been obvious to a person of ordinary skill in the art at the time of applicant's invention to modify the teaching of Blevins in view of Chang to include a criterial function utilizing optimization methods to move the controlled variable towards its optimum setpoint and to predict where the process is going, and to compensate in the present moves to control any further problems (col. 3, lines 5-11).

21. As per claim 11, Blevins and Chang do not expressly teach the criterial function utilizes optimization methods to provide an optimal lag value for each variable signal.

Prett teaches to the criterial function utilizes optimization methods to provide an optimal lag value for each variable signal (col. 8, lines 2-7).

Therefore it would have been obvious to a person of ordinary skill in the art at the time of applicant's invention to modify the teaching of Blevins in view of Chang to include the criterial function utilizes optimization methods to provide an optimal lag value for each variable signal to move the controlled variable towards its optimum setpoint and to predict where the process is going, and to compensate in the present moves to control any further problems (col. 3, lines 5-11).

22. As per claim 14, Blevins and Chang do not expressly teach the criterial function utilizes optimization methods to provide an optimal lag value for each variable signal.

Prett teaches to the criterial function utilizes optimization methods to provide an optimal lag value for each variable signal (col. 8, lines 2-7).

Therefore it would have been obvious to a person of ordinary skill in the art at

Art Unit: 2121

the time of applicant's invention to modify the teaching of Blevins in view of Chang to include the criterial function utilizes optimization methods to provide an optimal lag value for each variable signal to move the controlled variable towards its optimum setpoint and to predict where the process is going, and to compensate in the present moves to control any further problems (col. 3, lines 5-11).

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

The following references are cited to further show the state of the art with respect to time delay in a control system.

U.S. Patent No. 5,777,872 discloses a delay unifier associated with a controller.

U.S. Patent No. 6,078,844 discloses an optimal arbitrary time-delay filter to shape input signals of a system.

U.S. Patent No. 5,144,549 discloses a time delay control system in which estimated unknown dynamics of a controlled process are calculated.

U.S. Patent No. 5,587,899 discloses a method and apparatus to determine the ultimate frequency and gain of a controlled process using a phase lag calculation module.

U.S. Patent No. 6,079,205 discloses a control system as a model including an element relative to a response delay of the plant.

U.S. Patent No. 5,323,335 discloses a system have a number of different states and another number of observational components.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jennifer L. Norton whose telephone number is 571-272-3694. The examiner can normally be reached on 8:00 a.m. - 4:30 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Anthony Knight can be reached on 571-272-3687. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you

Art Unit: 2121

have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

A handwritten signature in black ink, appearing to read 'Anthony Knight', is positioned above the printed name.

Anthony Knight
Supervisory Patent Examiner
Art Unit 2121